



Product Service

CERTIFICATE

No. Z2 013802 0655 Rev. 00

Holder of Certificate: **Richter Spielgeräte GmbH**

Simsseestr. 29
83112 Frasdorf
GERMANY

Certification Mark:



Product: **Playground equipment
Register 3**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713318680-02

Valid until: 2029-02-14

Date, 2024-02-20

(Roland Zwickl)

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFIKAT ◆ 認證書 ◆ CERTIFICATE ◆ ZERTIFIKAT ◆ CERTIFICATE

CERTIFICATE

No. Z2 013802 0655 Rev. 00

Model(s):

Hüttenkombination 6, Turmkombination 5, Turmkombination 7,
Plattformkombination 1, Plattformkombination 2,
Plattformkombination 3, Pyramidenturm-Kombination 8,
Dreieckspodest-Kombination 4

Bauteile der Kombinationsanlagen

3.01000, 3.01100, 3.01500, 3.02000, 3.02100, 3.12100, 3.12300,
3.12350, 3.13100, 3.13300, 3.14100, 3.14150, 3.14200, 3.14230,
3.14300, 3.14350, 3.15100, 3.15300, 3.16100, 3.16120, 3.16150,
3.16300, 3.16320, 3.16350, 3.17000, 3.17050, 3.20300, 3.20400,
3.20500, 3.20510, 3.20530, 3.20531, 3.20600, 3.20610, 3.20630,
3.20631, 3.20700, 3.20750, 3.20800, 3.20850, 3.20860, 3.20900,
3.21500, 3.22000, 3.23500, 3.25100, 3.25300, 3.25500, 3.26100,
3.26103, 3.26105, 3.26110, 3.26300, 3.26301, 3.26303, 3.26304,
3.26305, 3.26330, 3.26350, 3.26500, 3.26501, 3.26505, 3.26600,
3.26700, 3.26720, 3.27000, 3.28100, 3.28300, 3.28500, 3.28700,
3.29700, 3.30000, 3.41000, 3.41200, 3.42000, 3.42200, 3.42500,
3.43000, 3.43200, 3.52000, 3.53000, 3.19200, 3.19210, 3.19220,
3.63020, 3.63030, 3.63120, 3.63130, 3.63220, 3.63225, 3.63230,
3.63235, 3.63300, 3.63302, 3.63303, 3.63310, 3.63320, 3.63323,
3.63340, 3.63360, 3.63380, 3.63390, 3.63395, 3.63420, 3.63430,
3.63520, 3.63530, 3.64100, 3.64105, 3.64200, 3.64210, 3.64220,
3.64230, 3.64240, 3.64250, 3.64301, 3.64311, 3.65600, 3.65610,
3.65620, 3.65700, 3.65710, 3.65800, 3.65810, 3.65820, 3.67000,
3.67494, 3.67524, 3.67540, 3.67541, 3.67542, 3.67543, 3.67544,
3.67545, 3.67590, 3.67591, 3.67592, 3.67595, 3.68000, 3.68050,
3.68320, 3.68500, 3.68550, 3.69165, 3.69530, 3.69542, 3.69543

Kenndaten:

Larch wood non impregnated or spruce/fir, pressure treated.

Posts with earth contact are perforated or steel anchor.

Attachment slides V2A, Attachment swings with safety seat

Hut combination 6 15.05m x 12.15m, max. fall height <= 1.5m

Tower combination 5 14.20m x 11.05m, max. fall height <= 2.0m

Tower combination 7 11.40m x 11.70m, max. fall height <=2.0m

Platform combination 1 13.55m x 9.85m, max. fall height <= 1.5m

Platform combination 2 14.50m x 9.80m, max fall height <=2.0m

Platform combination 3 15.60m x 10.50m, max. fall height <= 1.5m

Pyramid tower combination 8 11.55m x 10.40m, max. fall height <= 3.0m

Triangle tower combination 4 10.05m x 15.20m, max. fall height <= 1.5m

3.01000 Platform, h = 0.50 m, with handrail

3.01100 Platform, h = 0.50 m with roof and handrail

3.01500 Platform, h = 0.50 m

3.02000 Platform, h = 1.00 m, with handrail

3.02100 Platform, h = 1.00m with roof and handrail

3.12100 Small Triangular Hut, h = 1.00 m

3.12300 Triangular Hut, h = 1.50 m

3.12350 Triangular Hut, h = 1.50 m

3.13100 Platform Hut

3.13300 Platform Hut with roof

3.14100 Small Platform Hut, h = 1.00m

3.14150 Small Platform Hut, h = 1.00m,

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.14200 Toddler's Platform Hut, floor height 0.60m
- 3.14230 Toddler's Platform Hut with roof, floor height 0.60m
- 3.14300 Small Platform Hut, h = 1.00m with roof
- 3.14350 Small Platform Hut, h = 1.00m
- 3.15100 Small Hexagonal Hut, h = 1.00m
- 3.15300 Small Hexagonal Hut, h = 1.00m with roof
- 3.16100 Hexagonal Hut, h = 0.50/1.50 m
- 3.16120 Hexagonal Hut, h=1.50m
- 3.16150 Hexagonal Hut, h = 0.50/1.50 m
- 3.16300 Hexagonal Hut, h = 0.50/1.50 m with roof
- 3.16320 Hexagonal Hut, h=1.50m with roof
- 3.16350 Hexagonal Hut, h = 0.50/1.50 m with roof
- 3.17000 Big Hexagonal Hut with Roof
- 3.17050 Big Hexagonal Hut with Roof
- 3.20300 Small Square Tower, height 1.00m
- 3.20400 Small Square Tower with roof, height 1.00m
- 3.20500 Square Tower, h = 1.50m
- 3.20510 Square Tower, h=1.50m, with Roof
- 3.20530 Transparent Tower, h = 1.50m
- 3.20531 Transparent Tower, h=1.50m, with Roof
- 3.20600 Square Tower with Roof
- 3.20610 Square Tower without Roof
- 3.20630 Transparent Tower with Roof
- 3.20631 Transparent Tower without Roof
- 3.20700 Pentagonal Tower, h = 1.50m
- 3.20750 Pentagonal Tower with Roof, h=1.50m
- 3.20800 Pentagonal Tower with Roof, h=2.00m
- 3.20850 Pentagonal Tower without Roof, h=2.00m
- 3.20860 Pentagonal Tower on Stilts with Roof
- 3.20900 Hexagonal Tower with lockable kit
- 3.21500 Look-out Tower
- 3.22000 Castle Tower, height 2.00m
- 3.23500 Triangular Platform on Stilts, height 2.00m with Roof
- 3.25100 Triangular Platform, height 1.00m
- 3.25300 Triangular Platform, height 1.50m
- 3.25500 Triangular Platform, height 2.00m
- 3.26100 Platform, height 1.00 m
- 3.26103 Platform, height 1.00 m
- 3.26105 Platform, height 1.00 m
- 3.26110 Platform, height 0.50 m
- 3.26300 Platform, height 1.50 m
- 3.26301 Platform, height 1.50 m, steel feet
- 3.26303 Platform, height 1.50m
- 3.26304 Platform, height 1.50m
- 3.26305 Platform, height 1.50m, length 2.00m
- 3.26330 Platform height 1.80m
- 3.26350 Platform 2.40 x 2.50m, h=1.50m
- 3.26500 Platform, height = 2.00 m
- 3.26501 Platform, height = 2.00 m
- 3.26505 Platform, height 2.00 m
- 3.26600 Platform, h=2.50m with barrier
- 3.26700 Platform, h=3.00m with barrier
- 3.26720 Platform, h=1.00/2.00/3.00m
- 3.27000 Platform with Room and Roof
- 3.28100 Hexagonal Platform, height 1.00 m
- 3.28300 Hexagonal Platform, height 1.50 m

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.28500 Hexagonal Platform, height 2.00 m
- 3.28700 Big Hexagonal Platform with Roof
- 3.29700 Middle Triangular Podium, height 1.50m
- 3.30000 Platform Tower
- 3.41000 Small Pyramid Tower
- 3.41200 Small Transparent Pyramid Tower
- 3.42000 Middle Pyramid Tower
- 3.42200 Middle Transparent Pyramid Tower
- 3.42500 Midsize Pyramid Tower
- 3.43000 Big Pyramid Tower
- 3.43200 Big Transparent Pyramid Tower
- 3.52000 Middle Pentagonal Tower
- 3.53000 Big Pentagonal Tower
- 3.19200 Stainless Steel Slide, w=1.00m, h=1.00m
- 3.19210 Stainless Steel Slide, w=0.45m, h=1.50m
- 3.19220 Stainless Steel Slide, w=0.45m, h=1.00m
- 3.63020 Stainless Steel Slide w=0.45m, h=1.50m
- 3.63030 Stainless Steel Slide, h=1.50m with longer Exit
- 3.63120 Stainless Steel Slide, w=0.45m, h=1.80m
- 3.63130 Stainless Steel Slide, h=1.80m with longer Exit
- 3.63220 Stainless Steel Slide with wave, w=0.45m, h=3.00m
- 3.63225 Stainless Steel Slide with wave 45/300 with higher sides
- 3.63230 Stainless Steel Slide with wave, w=0.45m, h=3.50m
- 3.63235 Stainless Steel Slide with wave 45/350 with higher sides
- 3.63300 Stainless Steel Slide, w=1.00m, h=1.00m
- 3.63302 Stainless Steel Slide, special starting section
- 3.63303 Stainless Steel Slide, w=1.00m, h=1.00m, special starting section
- 3.63310 Stainless Steel Slide, w=0.45m, h=1.00m
- 3.63320 Stainless Steel Slide, w=1.00m, h=1.50m
- 3.63323 Stainless Steel Slide, w=1.00m, h=1.50m, special starting section
- 3.63340 Stainless Steel Slide, w=1.00m, h=1.80m
- 3.63360 Stainless Steel Slide, w=1.00m, h=2.00m
- 3.63380 Stainless Steel Slide, w=1.00m, h=2.40m
- 3.63390 Stainless Steel Slide with wave, w=1.00m, h=3.00m
- 3.63395 Stainless Steel Slide with wave 100/300 with higher sides
- 3.63420 Stainless Steel Slide, w=0.45m, h=2.00m
- 3.63430 Stainless Steel Slide, h=2.00m with longer Exit
- 3.63520 Stainless Steel Slide, w=0.45m, h=2.40m
- 3.63530 Stainless Steel Slide, h=2.40m with longer Exit
- 3.64100 Stainless Steel Slide with wave, w=1.00m, h=3.50m
- 3.64105 Stainless Steel Slide with wave 100/350 with higher sides
- 3.64200 Stainless Steel Slide, w=1.50m, h=1.50m
- 3.64210 Stainless Steel Slide, w=1.50m, h=1.80m
- 3.64220 Stainless Steel Slide, w=1.50m, h=2.00m
- 3.64230 Stainless Steel Slide, w=1.50m, h=2.40m
- 3.64240 Stainless Steel Slide with wave, w=1.50m, h=3.00m
- 3.64250 Stainless Steel Slide with wave, w=1.50m, h=3.50m
- 3.64301 Pedestal without ascent
- 3.64311 Pedestal with handrail
- 3.65600 Free Standing Slide 150
- 3.65610 Free Standing Slide 180
- 3.65620 Free Standing Slide 200
- 3.65700 Bird Slide 160
- 3.65710 Bird Slide 190
- 3.65800 Metric Slide 150
- 3.65810 Metric Slide 180

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.65820 Metric Slide 200
- 3.67000 Open Slide
- 3.67494 Inclined Wall, w=1.90m, l=2.90m, for embankment, steel feet
- 3.67524 Inclined ramp with climbing aids
- 3.67540 Hill Ascent, with 8 climbing aids, steel feet
- 3.67541 Hill Ascent, with 12 climbing aids, steel feet
- 3.67542 Hill Ascent, with 16 climbing aids, steel feet
- 3.67543 Hill Ascent, f. Palisade w. Holding Rope, w. steel feet
- 3.67544 Hill Ascent, f. Palisade w. Holding Rope, w. steel feet
- 3.67545 Hill Ascent, f. Palisade w. Holding Rope, w. steel feet
- 3.67591 Palisade Larch with Rope and Chain
- 3.67592 Palisade larch steel feet with Rope
- 3.67595 Rope Barrier with Standing Post
- 3.68000 Tunnel Slide
- 3.68050 Snail run-out
- 3.68320 Inclined Balancing Beam at a Hill
- 3.68500 Double Hanging Rope
- 3.68550 Hanging Rope with Loops
- 3.69165 Net 1.50mx2.50m for installation on a hill
- 3.69530 Climbing Trunk in a Hill, l=3.00m
- 3.69540 Climbing Trunk in a Hill, l=1.50m Handrail
- 3.69541 Climbing Trunk in a Hill, l=2.00m Handrail
- 3.69542 Climbing Trunk w. handrail in a Hill up to 1.50m steel foot
- 3.69543 Climbing Trunk w. handrail in a Hill up to 2.00m steel foot

Hut combination 6, part list

- 3.12300 Triangular Hut, h = 1.50 m
- 3.13100 Platform Hut
- 3.13150 Roof for Platform Hut
- 3.13160 Barrier for Platform Hut
- 3.13161 Barrier for Platform Hut
- 3.16150 Hexagonal Hut, h = 0.50/1.50 m
- 3.19000 Single Swing built on to Platform Hut
- 3.19001 Single Swing built on to Platform Hut w. steel foot
- 3.19002 Single Swing special built on to Platform Hut
- 3.19010 Double Swing built on to Platform Hut
- 3.19011 Double Swing built on to Platform Hut w. steel foot
- 3.19020 Double Swing special built on to Platform Hut
- 3.19100 Sand Play Equipment
- 3.19110 Sand Play Equipment
- 3.19802 Single Swing special long, on to Platform Hut
- 3.66023 Suspension Bridge Frame for Hill, square timber
- 3.66033 Suspension Bridge Frame for Hill, square timber w. steel feet
- 3.66055 Suspension Bridge - Frame for 1.50m
- 3.66057 Suspension Bridge - Frame for 1.00m
- 3.66090 Running Boards for Suspension Bridge 3.00 m
- 3.66100 Running Boards for Suspension Bridge 4.00m
- 3.66110 Running Boards for Suspension Bridge 5.00 m
- 3.66224 End Frame with ladder for Chain Path
- 3.66260 Walkway for Chain Path 3.00 m
- 3.66263 Walkway for Chain Path 3.00 m
- 3.66270 Walkway for Chain Path 4.00 m
- 3.66273 Walkway for Chain Path 4.00 m
- 3.66280 Walkway for Chain Path 5.00 m
- 3.66283 Walkway for Chain Path 5.00 m
- 3.66290 Support Frame for Chain Path for Huts



Product Service

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.66300 Bridge, 3.00m without handrail
- 3.66305 Bridge, 3.00m, with 2 barriers
- 3.66306 Bridge, 3.00m, with barriers on both side (claddings)
- 3.66310 Bridge with wooden handrail, 3.00 m
- 3.66320 Bridge with chain handrail 3.00 m
- 3.66323 Bridge, 4.00 m, with barriers on both sides (boards)
- 3.66324 Bridge, 4.00 m, with barriers on both sides (claddings)
- 3.66327 Bridge with rope handrail 3.00 m
- 3.66330 Bridge with chain handrail 4.00 m
- 3.66335 Bridge with wooden handrail, 4.00 m
- 3.66337 Bridge with rope handrail 4.00 m
- 3.66340 Bridge with chain handrail 5.00 m
- 3.66343 Bridge, 5.00 m, with barriers on both sides (boards)
- 3.66344 Bridge, 5.00 m, with barriers on both sides (claddings)
- 3.66345 Bridge with wooden handrail 5.00 m
- 3.66347 Bridge with rope handrail 5.00 m
- 3.66360 Fastening element for Bridge to Platform Hut
- 3.66364 Fastening element for Bridge to Platform Hut
- 3.66367 Support Frame for Bridge to Huts
- 3.66382 End Frame for Ramp with ladder for Huts, square timber w. steel feet
- 3.66384 End Frame Ramp for hut wit steel foot
- 3.66416 End Frame for Ramp with wooden handrail for huts w. steel feet
- 3.66420 Bridge with chain handrail, 2.00 m long
- 3.66423 Bridge, 2.00 m, with barriers on both sides (boards)
- 3.66424 Bridge, 2.00 m, with barriers on both sides (claddings)
- 3.66425 Bridge with wooden handrail 2m
- 3.66513 End Frame without ladder for hill for rope bridge
- 3.66523 End Frame with ladder for Rope Bridge, square timber, steel feet
- 3.66530 Rope Bridge, length 2.00m red
- 3.66531 Rope Bridge, length 2.00m natural
- 3.66550 Rope Bridge, length 3.00m
- 3.66555 Rope Bridge, length 3.00m with PP-Rope
- 3.66560 Rope Bridge, length 4.00m
- 3.66570 Rope Bridge, length 5.00m
- 3.66645 Rope Bridge Frame for 1.50m
- 3.66647 Rope Bridge Frame for 1.00m
- 3.67503 Climbing Wall to Huts
- 3.67517 Climbing Wall for Hexagonal Hut
- 3.67531 Inclined Wall for Hut with steel feet
- 3.67536 Inclined Wall for Hut with steel feet
- 3.68306 Inclined Balancing Beam for Hut with steel foot
- 3.69120 Inclined Climbing Net for Huts, attachment height 1.50m
- 3.69124 Inclined Climbing Net for Small Huts, attachment height 1.00m
- 3.69355 Vertical Climbing Net for Huts
- 3.69430 Climbing Rope for Platform Hut with Roof
- 3.69433 Climbing Rope f. Platform Hut with Roof
- 3.69480 Firemen's Pole for Huts, h=1.50m
- 3.69485 Firemen's Pole for Big Hexagonal Hut
- 3.69506 Climbing Trunk up to 1.00 m w. steel foot
- 3.69516 Climbing Trunk with handrail for huts up to 1.50m with steel foot
- 3.69526 Climbing Trunk up to 2.00m w. double sided handrail, steel feet
- 3.69700 Horizontal Bar for Huts

Tower combination 5 und 7, part list:

- 3.20500 Square Tower, h=1.50m
- 3.20600 Square Tower with Roof

Page 6 of 10

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.20800 Pentagonal Tower with Roof, h=2.00m
- 3.19830 High swing long for Tower
- 3.19832 High swing special for Tower
- 3.66005 Support Frame for Suspension Bridge for Big Tower
- 3.66045 Support Frame for Suspension Bridge for Small Tower
- 3.66065 Support Frame for Suspension Bridge for Big Tower
- 3.66090 Running Boards for Suspension Bridge 3.00 m
- 3.66115 Running Boards for Suspension Bridge 6.00 m
- 3.66120 Running Boards for Suspension Bridge 3.00 m, with rope railing
- 3.66240 Support Frame for Chain Path for Tower
- 3.66350 Fastening Frame for Bridge to Tower
- 3.66351 Fastening Frame for Bridge for Square Tower, attachment height 2.00m
- 3.66352 Fastening Frame for Bridge for Square Tower, attachment height 1.50m
- 3.66353 Fastening Frame for Bridge for Tower with wooden handrail
- 3.66593 Rope Bridge Frame for Big Tower, h=1.00m
- 3.66603 Rope Bridge Frame for Small Tower
- 3.66613 Rope Bridge Frame for Big Tower, h=2.00m
- 3.67290 Ravine Bridge
- 3.67300 Fastening Frame for Ravine Bridge to Tower
- 3.67320 End Frame for Ravine Bridge
- 3.67502 Climbing Wall to Tower, h=2.00m
- 3.67504 Climbing Wall to Tower, h=2.30m
- 3.67511 Inclined Wall for Square Tower, h=2.00m
- 3.67514 Inclined Wall for Square Tower, h=1.50m
- 3.69103 Inclined Climbing Net f. Square Tower, attachment height 2.00m, steel feet
- 3.69105 Inclined Climbing Net for Square Tower with steel feet
- 3.69400 Boatsman's Ladder with Chain with Beam
- 3.69410 Serpentine Ladder with Beam
- 3.69450 Swing Rope with Beam
- 3.69453 Climbing Rope with Beam for Square Tower
- 3.69460 Firemen's Pole straight with Beam

Platform combination 1, 2, 3, part list

- 3.25300 Triangular Platform, height 1.50m
- 3.26100 Platform, height 1.00 m
- 3.26305 Platform, height 1.50m, length 2.00m
- 3.28500 Hexagonal Platform, height 2.00 m
- 3.19050 Single Swing for Platform
- 3.19052 Single Swing for Platform special
- 3.19060 Double Swing for Platform
- 3.19062 Double Swing for Platform special
- 3.19850 High swing long for platform
- 3.19852 High swing special long for platform
- 3.26800 Roof for Building Sites and Platforms
- 3.26900 Roof for Building Site for standing height
- 3.26903 Roof for Platforms, length 2.00m
- 3.26920 Roof for Hexagonal Platforms
- 3.66010 Suspension Bridge - Centre Frame, h=1.25m
- 3.66011 Centre frame for Suspension Bridge/Bridge
- 3.66012 Suspension Bridge - Centre Frame, h = 1.50m
- 3.66013 Centre frame for Suspension Bridge/Bridge 1.50m
- 3.66020 Suspension Bridge Frame for Hill, h=0.60m
- 3.66030 Suspension Bridge Frame with ladder
- 3.66032 Suspension Bridge Frame with ladder for rope
- 3.66075 Support Frame for Suspension Bridge f. Platform h=1.50m
- 3.66085 Support Frame for Suspension Bridge f. Platform h=2.00m

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.66090 Running Boards for Suspension Bridge 3.00 m
- 3.66115 Running Boards for Suspension Bridge 6.00 m
- 3.66120 Running Boards for Suspension Bridge 3.00 m, with rope railing
- 3.66130 Running Boards for Suspension Bridge 4.00 m, with rope railing
- 3.66140 Running Boards for Suspension Bridge 5.00 m, with rope railing
- 3.66220 End Frame with ladder for Chain Path
- 3.66225 Centre Frame for Chain Path/Bridge 1.00 m
- 3.66231 End Frame for inclined Chain Path w. steel feet
- 3.66250 Support Frame for Chain Path for Platform
- 3.66370 Fastening Frame for Bridge to Platform
- 3.66372 Fastening Frame for Bridge for Platform
- 3.66374 Fastening Frame for wheel chair bridge
- 3.66380 End Frame for Ramp
- 3.66381 End Frame for Ramp with steel feet
- 3.66385 End Frame for Ramp with Rope barrier
- 3.66387 End frame for bridge
- 3.66388 End Frame for Ramp with ladder w. steel feet
- 3.66389 End Frame for Ramp with ladder
- 3.66390 Frame for Bridge to Platform without way through
- 3.66410 End Frame for Ramp with wooden handrail
- 3.66411 End Frame for Ramp with wooden handrail, w. steel feet
- 3.66430 Centre Frame for Bridge, h = 1.00 m
- 3.66433 Centre Frame for Bridge, h = 1.50 m
- 3.66434 End Frame for Bridge, h = 1.50 m
- 3.66450 Bridge for Wheelchair User, 3.00 m long
- 3.66460 Bridge for Wheelchair User, 4.00 m long
- 3.66470 Bridge for Wheelchair User, 5.00 m long
- 3.66480 Centre Frame f. Wheelchair Bridge 1.50 m
- 3.66490 End Frame f. Wheelchair Bridge
- 3.66491 End Frame für Wheelchair Bridge w. steel feet
- 3.66510 Rope Bridge Frame for Hill
- 3.66520 End Frame with ladder for Rope Bridge
- 3.66546 Net Tunnel length 3.00m, red, between Platforms
- 3.66547 Net Tunnel length 4.00m, red, between Platforms
- 3.66548 Net Tunnel length 5.00m, red, between Platforms
- 3.66605 Centre Frame for Rope Bridge, h=1.25m
- 3.66607 Centre Frame for Bridge/Rope Bridge
- 3.66623 Support Frame for Rope Bridge for Platform, h=1.50m
- 3.66626 Support Frame for Wobbly Bridge for Platform, h=1.50m
- 3.66633 Support Frame for Rope Bridge for Platform, h=2.00m
- 3.66636 Rope Bridge Frame with metal brace for Platform on Stilts
- 3.66734 Support Frame for Net Tunnel for Platform, h = 1.5m
- 3.67310 Connecting Frame for Ravine Bridge to Platform
- 3.67330 Ladder for Platform 3.00m
- 3.67340 Ladder for Platform height 1.00 m, Frontside
- 3.67350 Ladder for Platform height 1.00 m, Longside
- 3.67360 Ladder for platform height 1.50 m, Frontside
- 3.67370 Ladder for Platform height 1.50 m, Longside
- 3.67380 Ladder for Platform height 2.00 m, Frontside
- 3.67390 Ladder for Platform height 2.00 m, Long side
- 3.67393 Ladder for Platform on Stilts
- 3.67403 Stairs, wide, attachment height 0.60m
- 3.67423 Stairs, narrow, attachment height 0.40m
- 3.67440 Stairs with both-sided Handrail, h=1.50m
- 3.67450 Stairs with both-sided Handrail, h=2.00m
- 3.67470 Inside Ladder for Platform 2.0m

CERTIFICATE

No. Z2 013802 0655 Rev. 00

- 3.67490 Steering wheel
- 3.67498 Inclined Wall h = 2.00m, w = 1.40 m with steel feet
- 3.67499 Inclined Wall for Platforms 2.00m w. steel feet
- 3.67505 Climbing Wall to Platform Frontside
- 3.67506 Climbing Wall to Platform long side
- 3.67515 Climbing Wall to Platform
- 3.67516 Climbing Wall to Platform
- 3.67522 Inclined Wall for Platform w. steel feet
- 3.67523 Inclined Wall for Hexagonal Platforms, h = 1.50 m with steel feet
- 3.67580 Frame for Inclined Wall at a Hill
- 3.68300 Inclined Balancing Beam without steel feet
- 3.68301 Inclined Balancing Beam with steel foot
- 3.68310 Inclined Balancing Beam to Platform 2.00m
- 3.68510 Double Hanging Rope for attachment
- 3.68551 Hanging Rope with Loops for attachment
- 3.69010 Balancing Rope with Holding Rope for attachment
- 3.69110 Inclined Climbing Net for Hexagonal Platforms, h=2.00m
- 3.69115 Inclined Climbing Net for Hexagonal Platforms, h = 1.50m
- 3.69140 Inclined Climbing Net for Platforms, attachment height 1.00m
- 3.69160 Inclined Climbing Net for Platforms, attachment height 1.50m
- 3.69168 Net, fine meshed, between Platforms
- 3.69180 Inclined Climbing Net for Platforms, attachment height 2.00m
- 3.69190 Inclined Climbing Net for Octagonal Tower
- 3.69350 Vertical Climbing Net with Firemen's Pole for attachment
- 3.69412 Rope Climbing Ladder with Beam for Platform 1.50m
- 3.69413 Rope Climbing Ladder with Beam for Platform 2.00m
- 3.69440 Holding Rope for Inclined Wall, l=2.50m
- 3.69443 Holding Rope for Inclined Wall with chain, l=3.50m
- 3.69445 Holding Rope for Inclined Wall with chain, l=2.85m
- 3.69451 Climbing Rope f. Platform 2.00m
- 3.69452 Climbing Rope f. Platform 1.50m
- 3.69464 Bent Firemen's Pole
- 3.69470 Holding Rope for Inclined Wall, l=2.00m
- 3.69500 Climbing Trunk up to 1.00 m
- 3.69502 Climbing Trunk up to 1.00m w. steel foot
- 3.69503 Climbing Trunk up to 1.00 m with handrail
- 3.69511 Climbing Trunk with handrail up to 1.50m with steel foot
- 3.69521 Climbing Trunk up to 2.00m with double sided handrails, steel feet
- 3.69710 Horizontal Bar attached, not adjustable
- 3.69720 Horizontal Bar attached, adjustable

For installation of hill slides

- 3.65200 Slide Support with Steps
- 3.65201 Slide Support with Steps, steel feet
- 3.65202 Slide Support with Steps, galvanized
- 3.65250 Slide Support, w = 45 cm
- 3.65251 Slide Support, w = 45 cm, steel feet
- 3.65252 Slide Support, galvanized
- 3.65300 Slide Support with Steps, w = 100cm
- 3.65301 Slide Support with Steps, w = 100cm, steel feet
- 3.65302 Slide Support with Steps, w = 100cm, galvanized
- 3.65350 Slide Support, w = 100 cm
- 3.65351 Slide Support, w = 100 cm, steel feet
- 3.65352 Slide Support, w = 100 cm, galvanized
- 3.65400 Slide Support with Steps, w=150 cm
- 3.65401 Slide Support with Steps, w=150 cm, steel feet

CERTIFICATE

No. Z2 013802 0655 Rev. 00

3.65450 Slide Support, w = 150 cm

3.65451 Slide Support, w = 150 cm, steel feet

Pyramid tower combination 8, part list

3.41000 Small Pyramid Tower

3.42000 Middle Pyramid Tower

3.42051 Flag for Tower peak, turnable

3.42057 Light Windmill for Tower peak, removable

3.43000 Big Pyramid Tower

3.46200 Connection Tunnel, stainless steel

3.66047 Frame for Suspension bridge on to Pyramid Tower

3.66253 Support Frame for Chain Path for Pyramid Tower

3.66373 Fastening Frame for Bridge to Pyramid Tower

3.66540 Net Tunnel l = 5.00m, h = 1.50m between Pyramid Towers

3.66541 Net Tunnel l = 4.00m, h = 1.50m between Pyramid Towers

3.66542 Net Tunnel l = 5.00m, h = 1.50m between Pyramid Towers, red

3.66543 Net Tunnel l = 3.00m, h = 1.50m between Pyramid Towers

3.66544 Net Tunnel l = 4.00m, h = 1.50m betw. Pyramid Tower and Platform

3.66545 Net Tunnel l = 5.00m, h = 1.50m betw. Pyramid Tower and Platform

3.66549 Net Tunnel l = 3.00m, h = 1.50m betw. Pyramid Tower and Platform

3.66604 Support Frame for rope bridge on to Pyramid Tower

3.66608 Support Frame for Rope Bridge, h=1.30m, for, Pyramid Towers

3.66708 Support Frame for Net Tunnel, h = 1.50m

3.67507 Climbing Wall for Small Pyramid Tower, h=2.00m

3.67508 Climbing wall to Middle Pyramid Tower, h=3.00m

3.67509 Climbing Wall for Midsize Pyramid Tower, h=3.00m

3.67518 Climbing Wall for Big Pyramid Tower, h=3.00m

3.69145 Inclined Climbing Net for Pyramid Tower h=1.00m

3.69185 Inclined Climbing Net for Middle Pyramid Tower, h=2.00m

3.69186 Inclined Climbing Net for Small Pyramid Tower, h=2.00m

Triangular podium combination 4, part list

3.29700 Middle Triangular podium, height 1.50m

3.69813 End frame incl. rope ascent with Aluminium swages w. steel feet

3.69823 End frame incl. rope ascent with walking timbers, steel feet

3.69825 Rope crossing with walking timbers, l=3.00m

3.69833 Wobbly bridge with handrails, l=3.00m

3.69840 Inclined Climbing Net for Triangular podium

3.69850 Vertical Climbing Net between Triangular podiums

3.69860 Rope Ascent with PP-Rope length 3.00m, diameter 0.15 m

3.69865 Rope Crossing with PP-rope, length 3.00m, diameter 0,5 m

3.69870 Firemen's Pole for Triangular podium, h=1.50m

Tested

EN 1176-1:2017

according to:

EN 1176-2:2017/AC:2019

EN 1176-3:2017